

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

1 Identification of substance:**Product details:****Product name:** Sodium selenate**Stock number:** 97061**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Sodium selenate (CAS# 13410-01-0), 100%

Identification number(s):**EINECS Number:** 236-501-8**Index number:** 034-002-00-8**3 Hazards identification****Hazard description:**

T Toxic

N Dangerous for the environment

Information pertaining to particular dangers for man and environment

R 23/25 Toxic by inhalation and if swallowed.

R 33 Danger of cumulative effects.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

GHS label elements**Danger**

3.1/2 - Fatal if swallowed.

3.1/2 - Fatal if inhaled.

**Warning**

4.1/1 - Very toxic to aquatic life with long lasting effects.

Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear respiratory protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment is urgent (see label).

Specific treatment (see label).

Rinse mouth.

Collect spillage.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

Product name: Sodium selenate

(Contd. of page 1)

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**General information**

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; immediately call for medical help.
Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Toxic metal oxide fume

Hydrogen selenide

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

USA

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

Product name: Sodium selenate

(Contd. of page 2)

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Selenium and selenium compounds (as Se)

	mg/m ³
ACGIH TLV	0.2
Austria MAK	0.1
Belgium TWA	0.2
Denmark TWA	0.1
Finland TWA	0.1; 0.3-STEL
Germany MAK	0.1
Hungary	0.1-STEL
Ireland TLV	0.1
Japan OEL	0.1
Korea TLV	0.2
Netherlands MAC-TGG	0.1
Poland TWA	0.1; 0.3-STEL
Sweden NGV	0.1
Switzerland MAK-W	0.1
United Kingdom TWA	0.1
USA PEL	0.2

Additional information: No data

Personal protective equipment**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:**General Information**

Form:	Powder
Color:	White
Odor:	Odorless

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point: Not applicable

Ignition temperature: Not determined

Decomposition temperature: Not determined

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapor pressure: Not determined

Density at 20°C (68°F): 3.213 g/cm³

**Solubility in / Miscibility with
Water at 35°C (95°F):** 840 g/l

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

Product name: Sodium selenate

(Contd. of page 3)

Materials to be avoided:

Acids

Oxidizing agents

Dangerous reactions No dangerous reactions known**Dangerous products of decomposition:**

Toxic metal oxide fume

Hydrogen selenide

11 Toxicological information**Acute toxicity:****LD/IC50 values that are relevant for classification:**

Oral	LD50	1600 µg/kg (rat)
		2250 µg/kg (rabbit)

Primary irritant effect:**on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Other information (about experimental toxicology):**

Carcinogenic effects have been observed on tests with laboratory animals.

Mutagenic effects have been observed on tests with laboratory animals.

Mutagenic effects have been observed on tests with bacteria.

Subacute to chronic toxicity:

Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

IARC-3: Not classifiable as to carcinogenicity to humans.

NTP-2: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

12 Ecological information:**Ecotoxicological effects:****Remark:** Very toxic for fish**General notes:**

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

Very toxic for aquatic organisms

13 Disposal considerations**Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:**

6.1

Identification number:

UN2630

Packing group:

I

(Contd. on page 5)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

Product name: Sodium selenate

(Contd. of page 4)

Proper shipping name (technical name): SELENATES
Label 6.1

Land transport ADR/RID (cross-border)



ADR/RID class: 6.1 (T5) Toxic substances
Danger code (Kemler): 66
UN-Number: 2630
Packaging group: I
Description of goods: 2630 SELENATES (sodium selenate)

Maritime transport IMDG:



IMDG Class: 6.1
UN Number: 2630
Label 6.1
Packaging group: I
Proper shipping name: SELENATES

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 6.1
UN/ID Number: 2630
Label 6.1
Packaging group: I
Proper shipping name: SELENATES

UN "Model Regulation": UN2630, SELENATES, 6.1, I

Environmental hazards: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID

15 Regulations

Product related hazard informations:

Hazard symbols:

T Toxic
 N Dangerous for the environment

Risk phrases:

23/25 Toxic by inhalation and if swallowed.
 33 Danger of cumulative effects.
 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

20/21 When using do not eat, drink or smoke.
 28 After contact with skin, wash immediately with plenty of water
 45 In case of accident or if you feel unwell, seek medical advice immediately.
 60 This material and its container must be disposed of as hazardous waste.
 61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use:

For use only by technically qualified individuals.
 This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure

(Contd. on page 6)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/08/2009

Reviewed on 06/08/2009

Product name: Sodium selenate

(Contd. of page 5)

proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EU-NECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA