

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Trichloro(chloromethyl)silane
Product Number : 25295
Brand : Fluka
Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : CH₂Cl₄Si
Molecular Weight : 183.93 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Trichloro(chloromethyl)silane			
1558-25-4	216-316-9	-	-

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Highly toxic by inhalation, Corrosive

HMIS Classification

Health Hazard: 4

Flammability: 2

Physical hazards: 0

NFPA Rating

Health Hazard: 4

Fire: 2

Reactivity Hazard: 0

Potential Health Effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns. May be fatal if absorbed through skin.

Eyes Causes eye burns.

Ingestion May be harmful if swallowed. Causes burns.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 69 °C (156 °F) - closed cup

Ignition temperature no data available

Suitable extinguishing media

Carbon dioxide (CO₂) Dry powder

Extinguishing media which shall not be used for safety reasons

Water

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Do not flush with water. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Store under inert gas. Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	clear, liquid
Colour	colourless

Safety data

pH	no data available
Melting point	no data available
Boiling point	no data available
Flash point	69 °C (156 °F) - closed cup
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	24 hPa (18 mmHg) at 20 °C (68 °F)
Density	1.502 g/cm ³
Water solubility	no data available

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Conditions to avoid

Exposure to moisture.

Materials to avoid

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, silicon oxides

Hazardous reactions

Reacts violently with water.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

LC50 Inhalation - mouse - 2 h - 60 mg/m³

Remarks: Brain and Coverings:Other degenerative changes. Lungs, Thorax, or Respiration:Dyspnea. Blood: Hemorrhage.

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Potential Health Effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns. May be fatal if absorbed through skin.

Eyes Causes eye burns.

Ingestion May be harmful if swallowed. Causes burns.

Additional Information

RTECS: VV2200000

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

no data available

Ecotoxicity effects

no data available

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS**Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION**DOT (US)**

UN-Number: 3389 Class: 6.1 (8) Packing group: I
Proper shipping name: Toxic by inhalation liquid, corrosive, n.o.s. (Trichloro(chloromethyl)silane)
Marine pollutant: No
Poison Inhalation Hazard: Hazard zone A

IMDG

UN-Number: 3389 Class: 6.1 (8) Packing group: I EMS-No: F-A, S-B
Proper shipping name: TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. (Trichloro(chloromethyl)silane)
Marine pollutant: No

IATA

UN-Number: 3389 Class: 6.1 (8)
Proper shipping name: Toxic by inhalation liquid, corrosive n.o.s. (Trichloro(chloromethyl)silane)
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

15. REGULATORY INFORMATION**OSHA Hazards**

Combustible Liquid, Highly toxic by inhalation, Corrosive

DSL Status

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

Trichloro(chloromethyl)silane	CAS-No. 1558-25-4
-------------------------------	----------------------

SARA 302 Components

Trichloro(chloromethyl)silane	CAS-No. 1558-25-4	Revision Date 1991-07-01
-------------------------------	----------------------	-----------------------------

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Trichloro(chloromethyl)silane	CAS-No. 1558-25-4	Revision Date 1991-07-01
-------------------------------	----------------------	-----------------------------

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
--	---------	---------------

Trichloro(chloromethyl)silane

1558-25-4

1991-07-01

New Jersey Right To Know Components

Trichloro(chloromethyl)silane

CAS-No.

Revision Date

1558-25-4

1991-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.