

# MATERIAL SAFETY DATA SHEET

MSDS Number  
P-314S



**AccuStandard**

125 Market Street • New Haven, CT USA 06513  
Phone No: (203) 786-5290 • Fax No: (203) 786-5287

Emergency Phone Number  
203-786-5290  
Mon. to Fri. 8am-5pm EDT

**Product Number :** P-314S

**Product Name :** Chlorophacinone Solution.

**Synonyms :** N/A

**Formula :** N/A

**Molecular Weight :** N/A

## Section 2 - Composition / Information on Ingredients

Component(s)	( 2 )	CAS #	ACGIH TLV		OSHA PEL	
			Appr. % TWA	mg/m3 SKIN	TWA	mg/m3 SKIN
Chlorophacinone		3691-35-8	0.01%			
Methanol		67-56-1	99.99%	260 X		262 X

## Section 3 - Hazards Identification

### Symptoms of Exposure:

Toxic by ingestion, inhalation and skin absorption.

After ingestion or inhalation, initial symptoms may be only that of mild intoxication, but may become severe after 12 or 18 hours.

May Cause Damage To Liver, Kidneys, and Central Nervous System.

Symptoms of over-exposure include dizziness, nausea, muscle weakness, narcosis and respiratory failure.

May irritate skin on prolonged contact.

Ingestion can produce blindness (as little as 30 ml) or death (as little as 100 ml).

Fetal development abnormalities and effects on embryo or fetus have been reported from prolonged exposure to methanol in laboratory tests involving pregnant rats.

### Potential Health Effects:

Skin conditions, eye problems, impaired liver or kidney function

### Routes of Entry:

Inhalation, ingestion or skin contact.

### Carcinogenicity:

The material is not listed (IARC, NTP, OSHA) as cancer causing agent.

## Section 4 - First Aid Measures

MSDS#  
P-314S

Alteration of any information contained herein without  
written permission from AccuStandard strictly prohibited.

Preparation Date  
7/8/2004

**First Aid Procedures:**

GET MEDICAL ASSISTANCE FOR ALL CASES OF OVEREXPOSURE.

Skin: Immediately flush thoroughly with large amounts of water.

Eyes: Immediately flush thoroughly with water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers.

Inhalation: Remove to fresh air; give artificial respiration if breathing has stopped. Contact a physician

Ingestion: If conscious, drink water and induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.

Remove contaminated clothing and wash before reuse.

**Section 5 - Fire Fighting Measures****Fire fighting measures for the Solvent****Flammable Properties:**

Flash Point (°F):	52F (tcc)
Flammable Limits LEL (%):	6.7
Flammable Limits UEL (%):	36.5

Dangerous fire and explosive hazard.

Closed containers may explode upon heating.

Vapor can travel distances to ignition source and flash back.

**Extinguishing Media:**

Use water spray, dry chemical, CO2, or "alcohol" foam.

**Protection of Firefighters:**

Wear self-contained breathing apparatus and protective clothing.

**Section 6 - Accidental Release Measures****Spill Response:**

Wear suitable protective equipment listed under Expose /Personal Protection. Eliminate any ignition sources until the area is determined to be free from explosion or fire hazards. Contain the release and eliminate its source, if this can be done without risk. Dispose as hazardous waste. Comply with Federal, State and local regulations.

**Section 7 - Handling and Storage**

Keep container closed.

Store in a cool area away from ignition sources and oxidizers.

Do not breath vapor or mist

Do not get in eyes, on skin, or on clothing.

## Section 8 - Exposure Controls / Personal Protection

### Personal Protection Equipment (PPE):

Respiratory Protection: If workplace exposure limit(s) of product or any component is exceeded (see TLV/PEL), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your safety equipment supplier). Engineering and/or administrative controls should be implemented to reduce exposure.

Material should be handled or transferred in an approved fume hood or with adequate ventilation.

Protective gloves must be worn to prevent skin contact.

(Butyl Rubber, Viton or equivalent)

Safety glasses with side shields must be worn at all times.

### General Hygiene Considerations:

Wash thoroughly after handling. Do not take internally. Eye wash and safety equipment should be readily available.

## Section 9 - Physical and Chemical Properties

### Physical and chemical properties for the Solvent

Appearance: Clear liquid  
Boiling Point: 65  
Melting Point: -98  
Specific Gravity (Water = 1): 0.791  
Vapor Pressure: 97 20C  
Vapor Density (Air = 1): 1.1  
Percent Volatile (by volume): 99.9+  
Evaporation Rate (Butyl acetate = 1): 5.9  
Flash Point: 52F (tcc)  
Explosion Limits (%): 6.7 to 36.5  
Solubility in water (%): Soluble

## Section 10 - Stability and Reactivity

### Stability and reactivity for the Solvent

Stability: Stable

Materials to Avoid: Acids  
Oxidizers  
Other

Reactive metals

Hazardous Decomposition: CO<sub>2</sub>, Formaldehyde

Hazardous Polymerization: Does not occur

Conditions to Avoid: Heat; contact with ignition sources

## Section 11 - Toxicological Information

See section 3 for specific toxicological information for the ingredients of this product.

## Section 12 - Ecological Information

By complying with sections 6 and 7 there will be no release to the environment.

## Section 13 - Disposal Considerations

Recycle or incinerate at any EPA approved facility or dispose in compliance with Federal, State and local regulations. Empty containers must be triple-rinsed prior to disposal.

## Section 14 - Transport Information

DOT Shipping Class: 3 Packing Group: II UN Number: UN1230

## Section 15 - Regulatory Information

In addition to Federal and state regulations, local regulations may apply. Check with your local regulatory authorities.

The following regulations apply:

None.

## Section 16 - Other Information

This document has been designed to meet the requirements of OSHA, ANSI and CHIPs regulations.

This statements contained herein are offered for informational purposes only and are based on technical data that we believe to be accurate. It is intended for use only by persons having the necessary technical skill and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.

\*\*\* F I S I \*\*\*